



青岛鑫光正门窗系统
Windows & Doors System

青岛鑫光正集团

Qingdao Xinguangzheng Group

平度市光正工贸有限公司

电话: +86-532-88388388

传真: +86-532-88387082

网址: //www.pdgzgm.com

地址: 青岛平度开发区泉州路8号



鑫光正门窗系统

Windows & Doors System

塑料门窗系统一站式解决方案
One-Station Solution
for UPVC Windows & Doors System

我们从未如此倾尽心力
全身心为您打造高尚的生活品质
We have never been so dedicated
Best for you to build the noble quality of life



鑫光正——高效和规范从优质环境开始
XINGUANGZHENG—Efficient and standardized quality
environment from the beginning

我们在这里制造 We are building here

青岛鑫光正集团，自成立以来，经历十余载风雨的洗礼，日益发展壮大！公司在钢结构材料、钢结构工程、人造板机械、起重机、空压机、新型建材，机械加工及国际贸易等方面全面发展。在不断提高生产技术及产品服务的前提下，公司凭借光正人的睿智和魄力，不断推陈出新，取得了骄人的成绩。

历经多年的发展，公司已经具备了雄厚的经济基础与技术实力，目前公司已拥有复合板、彩钢板、H型钢、C型钢、Z型钢、聚苯乙烯泡沫板、聚氨酯板等多条生产线，及多台EPS包装机，并形成了完整的钢结构研发、生产、安装、服务体系。机加工车间拥有数套各类大型、精密加工设备，其中大型龙门刨、铣、磨、镗、数控火焰切割机、自动焊机等设备均达到国内先进水平。

公司秉承诚信成就品牌的理念，已获得了国家钢结构工程专业承包二级资质、青岛市建筑业“专业承包十强企业”、“平度市骨干企业”、“山东省重合同守信用企业”等多项荣誉。

雄厚的基础设施，先进的设备，精湛的技术，科学的管理，卓越的品质，为鑫光正的腾飞注入了无穷的动力！公司业务范围不断扩大，已与多家外商建立了良好的合作关系，产品出口日本、韩国、美国、阿拉伯、澳大利亚、非洲等多个国家和地区，深受客户的认可与信赖。

鑫光正集团将始终贯彻“以客户满意为中心”的经营理念，致力于在企业所渗透的领域中占据主导地位，与每一位光正人携手共进，共创美好的未来！



▶ 产业规模是我们最大的骄傲
Industry is our biggest pride

我们拥有年生产优质塑料门窗100万平方米的生产能力。
We have our own production of plastic doors and Windows 100 0000 square meters of production capacity.



鑫光正门窗系统
Windows & Doors System





先进生产流程再造行业领先品质
Advanced production process reengineering
industry leading quality

品质保证 Quality Assurance

鑫光正，领先的生产工艺和技术奠定了超凡的制造能力，合理运用涵盖全业务流程的系统集成技术改造，实现了专业化、规模化、集成化生产体系。公司依托国际领先的数控门窗生产流水线、专业的技术研发团队、完善的质控体系等保障了生产任务与目标进度的完美结合。产品质量控制贯穿于生产管理全过程，各个工序既独立实现生产，又紧密相联，相互协作，从而保证了产品品质的可靠性与稳定性。

XINGUANGZHENG, the leading production processes and technologies laid the exceptional manufacturing capabilities, the rational use of the system covers the whole business process integration of technological innovation, specialization, scale, integrated production system. CNC doors and windows the world's leading companies rely on production lines, professional R&D team and perfect quality control system to protect the production tasks and objectives of the progress of the perfect combination. Product quality control throughout the whole process the production management, the various processes of both independent production, but also closely linked to collaborate, thus ensuring the reliability and stability the product quality.



60 | 平开系列门窗的优点 The advantages of flat open series

装有三元乙丙胶密封条，密封性更好。

设有独立的排水腔、配套的纱扇型材、独特的毛条凹槽，使之密封性更加优越。

型材的断面尺寸设计更加合理，满足了门窗的受力要求。

With three EPDM sealing strip, the sealing performance is better.

There is an independent drainage cavity, supporting the gauze fan profiles, unique top groove, the sealing is more superior.

The design of profiles section size is more reasonable, to meet the requirement of the force of the window.

65 | 平开系列门窗的优点 The advantages of flat open series

框扇均为五腔室结构，在保证外形美观的前提下，隔热保温性能更加突出，传热系数K值可达 $2.0\text{W}/\text{m}^2\cdot\text{K}$ 以下。

当窗处于闭合状态时，框与扇之间有三道密封点，更能体现出窗的水密、气密的优越性。

玻璃压条的标准设计，使得门窗的框扇均可安装双玻或三玻。

Box fan is five chamber structures, ensuring the appearance under the premise, thermal insulation performance more prominent, the heat transfer coefficient K value can reach $2.0\text{W}/\text{m}^2\cdot\text{K}$ below.

When the window is closed, the frame and the fan are provided between the three sealing points, better reflects the window watertight, airtight superiority.

The standard design of the glass bead makes window box fan installed double glasses or three glasses.





鑫光正门窗系统
Windows & Doors System

80 | 推拉系列门窗的优点 The advantages of sliding series

高、低档次的设计，对国内大部分适宜使用推拉窗的地区无疑是通用的产品，具有不可抗拒的吸引力。
同样的三腔结构与平面设计，使您在使用时同样也能感觉其他系列门窗所具有的优点。
与60系列完美的配套性，使整个工程的塑料门窗制作选材不再让您伤透脑筋。

The design of 80 series of high and low class, for China is undoubtedly the most appropriate use of push-pull window area of common products, has an irresistible appeal.
The same three cavity structure with graphic design, so you can also feel when using other series of doors and Windows have advantages.
With 60 series perfect sex, make whole engineering plastic doors and Windows production material not to let you.

88 | 推拉系列门窗的优点 The advantages of flat sliding series

各种固定框、转角、加强拼接材料等一应俱全。
窗形丰富，价格适中，制作方法简单。
抗风压强度高，完全适用于10-25层左右的建筑物。

A variety of fixed frame, angle, strengthen the stitching material such as complete.
Window type is rich, affordable, simple production method.
Wind pressure resistance intensity is high, fully applicable to the 10-25 layer around the building.



异形门窗系列

Special-shaped windows and doors series

门窗是建筑的眼睛，建筑因门窗而精彩。鑫光正为适应现代建筑业个性化的需求，可根据用户的需求及场地，为你设计制作各种异性门窗，如：圆形、弧形、多边形、梯形、折叠等各种不规则门窗，并配以个性化的五金件，实现多种开启方式，完全可满足个性化的您。

Doors and windows are the eyes of the building, and building is wonderful because of doors and windows. To adapt to the modern construction industry demand for personalized, according to the needs of users and site, XINGUANGZHENG produce a variety of heterotypic doors and windows, such as: round, arc, polygon, ladder, folding and other irregular windows and doors, and with a personalized hardware to achieve a variety of open, fully meeting the personalized.

阳光房系列

Sun room series

阳光房是指以框架结构和门窗搭建出多个立面、顶部辅以玻璃或其他装饰所组成的封闭空间。阳光房是阳台功能的扩展，于上世纪九十年代中期在我国涌现。现已经成为都市人在家休闲的空间。而且已是从普遍的空间利用转变为家中时尚休闲的“阳光吧”。

阳光房可以搭建在复式楼的露台、一楼的私人花园、楼宇的顶层、私人别墅等地。它的建筑立面甚至包括顶部，大部分为玻璃结构。由于房间要采取通风，而且要有很好的密封效果，阳光房里面大部分由可开启的组合。

The sun room is to build more than one facade at the top of the closed space combined with glass or other decorative frame structure, windows and doors. Sun room that have emerged in China in the mid-1990s is the extension of the balcony capability. Now it has become the space of the urbanite at home and leisure, and has changed from the universal space to home fashion leisure "Sunshine."





鑫光正门窗系统

Windows & Doors System

优质五金件多种开启方式

High quality hardware, Multiple open the way










五金配件被称为门窗的心脏，静态和动态两种效果并存且必须同时满足。鑫光正门窗五金件全部采用高质量五金，严格按行业标准选用。材质上用上等钢材和精炼锌，表面采用镀锌和铬酸因以及浸渍处理，防腐性达到国家质量标准。

鑫光正选用知名的配件工厂，将高精度的五金配件与高精度的型材结合到一起，五金配件的协调运作，互相配合，达到了最佳效果，保证门窗的质量，满足用户的需求。实现了科技与形态美学的完美结合，达到功能与形态的最佳平衡。多种开启方式让你的生活更加精彩绝伦。

Hardware accessories are known as the heart of the doors and windows, and both static and dynamic effects coexist and must meet. The XINGUANGZHENG hardware all use high quality hardware which is selected by the industry strict standard. The materials used steel and refining of zinc, the surface of galvanized and chromate due to dip treatment, corrosion resistance to meet the national quality standards.

The XINGUANGZHENG combine high-precision metal parts with precision profiles fit. Combine high-precision metal parts with precision profiles together, hardware, accessories, co-ordination, co-ordinated to achieve the best results to ensure the quality of the doors and windows to meet the needs of users.

The perfect combination of practical technology and aesthetical reflects the best balance of function and form. Multiple way of the opening makes your life even more fantastic.

平开上悬系列 Tilt-turn series 	外悬窗系列 Out-swinging window series 	推拉上悬门系列 Sliding top-hinged swing series 
推拉及提升门窗系列 Sliding series and Left, up & down 	折叠门窗系列 Folding door series 	美式摇臂窗系列 Swing arm window series 
平开门窗系列 Flat open series 	推拉门窗系列 Sliding window & door series 	智能遥控门窗系列 Intelligent remote control series 






多样化的型材表面处理，色彩斑斓、多姿多彩
Diversified profile surface treatment, color variety,
scratch resistance force

通过采用拉丝、压花、覆膜、共挤等多样化的型材表面处理，可将其形成不同的颜色、花纹等，最大限度地满足市场对建筑审美的要求。型材选用优质原材料，使门窗表面具有超高的耐候性，硬度高、稳定性好、抗老化，完全达到国际产品的标准。

By means of wire drawing, embossing, laminating, co-extrusion diversified profile surface treatment, it can be formed different color, decorative pattern, etc, the maximum to meet the requirements of market of architectural aesthetics. Raw materials, the profile selection of quality to make the doors and Windows with ultra high weatherability, high hardness, good stability, anti-aging, fully meet the product standards.



覆膜型材
Covered profile

拉丝型材
Drawing profile

压花型材
Embossed profile

双色共挤型材
Two-color coextruded profile



一体化的专业服务能力，一站式的产品解决方案
The integration of professional services
One-stop solution

鑫光正服务体系

The XINGUANGZHENG service system

售前服务

专业咨询：提供专业的信息平台
现场演示：使用我们的产品进行培训
考察测量：结合实际的环境、考察测量、准备最合理的设计方案
专业设计：根据要求和我们的经验设计多种方案
诚实报价：明码标价，追求与客户共赢
修改方案：让您满意是我们的追求
上门签约：让您省心省力是我们的责任

Pre-sale services

Professional advisory: provide professional information platform
Live demonstration: training in the use of our products
Inspection measurement: prepare the most reasonable design with the actual environment and inspection measurement
Professional design: design a variety of programs based on the requirements and our experience
Honest offer: the price tag, the pursuit of customer win-win
Amend the proposal: Let your satisfaction is our pursuit
Home sign: let your peace of mind and effort is our responsibility

售中服务

售中服务主要是与甲方协调进度保证质量与工期、门窗包装、专业接送验货、安装、现场调试、定期巡检。

售后服务

售后服务主要指提供维修服务、提供终身维护保修。

内容包括:

- 门窗五金配件不开启、有不灵活的现象
- 密封胶条有不平整、脱槽、卷边现象
- 排水孔、气压平衡孔道不畅通
- 建筑密封胶有起皮、脱槽现象
- 中空玻璃的中间夹层在冬季有起雾现象

Service on sale

The Service on sale is ensure the quality and duration of the Party coordination, doors and windows packaging, professional shuttle inspection, installation, commissioning, regular inspection.


After-sales service

After-sales service mainly refers to the provision of warranty and lifetime maintenance warranty. Include

- Phenomenon that doors and windows hardware fittings are not open and flexible
- Phenomenon which sealing strip is not flat, off tank, curling
- Drainage holes, the pressure balance channel is not smooth
- Phenomenon of construction sealant peeling off the trough
- Fogging phenomenon of hollow glass interlayer in the winter


鑫光正服务流程

The XINGUANGZHENG service process



塑钢门窗计算机集成制造系统

System(CIMS) for windows & doors





让我们的家园更美好
Let our home more beautiful



鑫光正门窗系统
Windows & Doors System